


**AMENDMENTS TO THE CLAIMS**

1. (Original) A fungicidal mixture comprising


- 1) the triazolopyrimidine derivative of the formula I



I

and

- 2) trifloxystrobin of the formula II



II

in a synergistically effective amount.

2. (Original) A fungicidal mixture comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.
3. (Original) A fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in claim 1 or 2.

4. (Currently Amended) A method for controlling rice-pathogenic harmful fungi, which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the mixture of the compound I and the compound II as set forth in claim 1 ~~or of the composition as claimed in claim 3.~~
5. (Currently Amended) A method as claimed in claim 4, wherein the compounds I and II ~~as set forth in claim 1~~ are applied simultaneously, that is jointly or separately, or in succession.
6. (Currently Amended) A method as claimed in claim 4 ~~or 5~~, wherein the mixture as ~~claimed in claim 1 or 2 or the composition as claimed in claim 3~~ is applied in an amount of from 5 g/ha to 2000 g/ha.
7. (Currently Amended) A method as claimed in claim 4 ~~or 5~~, wherein the mixture as ~~claimed in claim 1 or 2 or the composition as claimed in claim 3~~ is applied in an amount of from 1 to 1000 g/100 kg of seed.
8. (Currently Amended) A method as claimed in ~~any of claims 4 to 7~~ claim 4, wherein the harmful fungus *Pyricularia oryzae* or *Cochliobolus miyabeanus* is controlled.
9. (Original) Seed comprising the mixture as claimed in claim 1 or 2 in an amount of from 1 to 1000 g/100 kg.

10. (Original)      The use of the compound I and the compound II as set forth in claim 1 for preparing a composition suitable for controlling rice pathogens.